


BP --A viable culture of this new producing strain was deposited with the Culture Collection Laboratory, Northern Utilization Research and Development Division, U.S. Department of Agriculture, Peoria, Ill. on June 7, 1999 and added to its permanent collection under accession number NRRL-30140 in accordance with the Budapest Treaty and is freely available to the public from this depository.--

### IN THE CLAIMS

Please cancel Claims 1-12, 29-33, 39-56, 60 and 62 without prejudice.

Amend Claim 57 as follows:

57. (Amended) The method according to claim 13 wherein the chemosensitizing reversal agent is selected from a compound having the Formula (I)



wherein:


n is an integer of 0, 1, or 2;

R<sup>1</sup> is hydrogen or alkoxy of 1 to 10 carbon atoms;

R<sup>2</sup> is hydrogen or alkenyl of 2 to 10 carbon atoms;

R<sup>3</sup> is hydrogen, alkyl of 1 to 10 carbon atoms, alkenyl of 2 to 10 carbon atoms,

R<sup>7</sup>NH(CH<sub>2</sub>)<sub>v</sub>— or




m is an integer of 1 to 6;


v is an integer of 1 to 4;

R<sup>4</sup>, R<sup>5</sup> and R<sup>6</sup> are hydrogen;


R<sup>7</sup> is H or



R<sup>8</sup> is selected from alkyl of 1 to 10 carbon atoms,  $-(CH_2)_mCO_2H$ ,




and



or a pharmaceutically acceptable salt thereof.

Amend Claim 58 as follows:

58. (Amended) The method according to claim 18 wherein the chemosensitizing reversal agent is selected from a compound having the Formula (I)



wherein:


n is an integer of 0, 1, or 2;

R<sup>1</sup> is hydrogen or alkoxy of 1 to 10 carbon atoms;

R<sup>2</sup> is hydrogen or alkenyl of 2 to 10 carbon atoms;

R<sup>3</sup> is hydrogen, alkyl of 1 to 10 carbon atoms, alkenyl of 2 to 10 carbon atoms,

R<sup>7</sup>NH(CH<sub>2</sub>)<sub>v</sub>- or




m is an integer of 1 to 6;


v is an integer of 1 to 4;

R<sup>4</sup>, R<sup>5</sup> and R<sup>6</sup> are hydrogen;

R<sup>7</sup> is H or




R<sup>8</sup> is selected from alkyl of 1 to 10 carbon atoms,  $\text{—(CH}_2\text{)}_m\text{CO}_2\text{H}$ ,



or a pharmaceutically acceptable salt thereof.

Amend Claim 59 as follows:

59. (Amended) A method according to claim 24 wherein the chemosensitizing reversal agent is selected from a compound having the Formula (I)



wherein:


n is an integer of 0, 1, or 2;

R<sup>1</sup> is hydrogen or alkoxy of 1 to 10 carbon atoms;

R<sup>2</sup> is hydrogen or alkenyl of 2 to 10 carbon atoms;

R<sup>3</sup> is hydrogen, alkyl of 1 to 10 carbon atoms, alkenyl of 2 to 10 carbon atoms,

R<sup>7</sup>NH(CH<sub>2</sub>)<sub>v</sub>— or




m is an integer of 1 to 6;


v is an integer of 1 to 4;

R<sup>4</sup>, R<sup>5</sup> and R<sup>6</sup> are hydrogen;

R<sup>7</sup> is H or




R<sup>8</sup> is selected from alkyl of 1 to 10 carbon atoms,  $-(CH_2)_mCO_2H$ ,



or a pharmaceutically acceptable salt thereof.

Amend Claim 61 as follows:

61. (Amended) A method according to claim 34 wherein the chemosensitizing reversal agent is selected from a compound having the Formula (I)



wherein:

n is an integer of 0, 1, or 2;

R<sup>1</sup> is hydrogen or alkoxy of 1 to 10 carbon atoms;

R<sup>2</sup> is hydrogen or alkenyl of 2 to 10 carbon atoms;